

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	165	(offpeak or off peak) with bandwidth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 10:51
L2	0	(offpeak or off peak) with bandwidth and 711/162.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 10:49
L3	1548	(back-up or back\$3 up) with node	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 10:55
L4	7	(back-up or back\$3 up) with node with bandwidth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:08
L5	909	(back-up or back\$3 up) and (bandwidth with capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:08
L6	0	writ\$3 near6 (off-peak or off peak) with (bandwidth with capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:09
L7	10	(off-peak or off peak) with (bandwidth with capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:10
L8	96	schedul\$4 with (off-peak or peak) with (bandwidth)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:13

EAST Search History

L9	0	schedul\$4 with (off-peak or peak) with (bandwidth) with writ\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:13
L10	0	schedul\$4 with (off-peak or peak) with (bandwidth) and 711/162.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:13
L11	9	schedul\$4 with (off-peak or off peak) with (bandwidth)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:15
L12	15	schedul\$4 with (off-peak or off peak) near6 usage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:34
L13	2	schedul\$4 with (off-peak or off peak) near6 (transfer\$4 or writ\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:35
L14	7	schedul\$4 with (off-peak or off peak) with (transfer\$4 or writ\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:35
L15	11	((configuration or allocation) near5 (storage or capacity) near6 node). ab. and dynamic\$4.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37

EAST Search History

L16	87	((configuration or allocation) near5 (storage or capacity) near6 node).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L17	226	((configuration or allocation) near5 ((free or available or unused or unallocated) near3 (memory or storage or capacity))).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L18	29	((configuration or allocation) near5 ((free or available or unused or unallocated) near3 (memory or storage or capacity))).ab. and 711/17?.ccs.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L19	0	server near8 (original data near4 (back-up or copy))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L20	30	server near8 (original data near4 (back-up or copy))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L21	4	(server or host) near8 (original data near4 (back-up or copy near4 both))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L22	4738	(server or host) near8 (stor\$3 near4 (back-up or copy))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L23	578	((server or host) near8 (stor\$3 near4 (back-up or copy))).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37

EAST Search History

L24	26	((server or host) near8 (stor\$3 near4 (back-up or copy))).ab. and 711/162.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L25	115	((server or host) with (stor\$3 with (back-up data or back up data and original data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L26	96	((server or host) with (stor\$3 near5 (back-up data or back up data and original data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L27	95	((server or host) with (stor\$3 near5 (back-up data or back up data near5 original data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L28	30	(server or host) with (stor\$3 near5 ((back-up data or back up data))).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L29	16	(server or host) with ((back-up or back up) device).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L30	16	(server or host) with ((back-up data or back up) device).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L31	18	(server or host) near4 ((back-up data or back up) device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37

EAST Search History

L32	35	(server or host) with ((back-up data or back up) device) with storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L33	140	(host or server) near3 (backup or back-up or back up) device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L34	15	(shar\$3 near5 storage near5 node) and 711/170.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L35	5908	(host or server) near3 (backup or back-up or back up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L36	5	(dynamic near6 configuration near6 storage near6 shar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L37	1	(backup-restoration system).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L38	205	(dynamic near6 configuration near6 storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L39	0	2003/0028592	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37

EAST Search History

L40	68	((optimiz\$5 or optimal or optimum or ideal or peak or maximum or maximiz\$5 or effective) near8 (utiliz\$3 or utilization)) with storage same (capacity or available or unallocated) and 711/???..ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L41	29	((host or server) near3 (backup or back-up or back up) device).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L42	2	"6415373".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L43	2	2001-236029	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L44	232	((optimiz\$5 or optimal or optimum or ideal or peak or maximum or maximiz\$5) near8 (network near3 bandwidth)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L45	2251	(optimiz\$5 or optimal or optimum or ideal or peak or maximum or maximiz\$5) near8 (network near3 bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L46	34	((optimiz\$5 or optimal or optimum or ideal or peak or maximum or maximiz\$5) near8 (network near3 bandwidth) with (utiliz\$3 or utilization)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L47	9	10/300500	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37

EAST Search History

L48	21	((optimiz\$5 or optimal or optimum or ideal or peak or maximum or maximiz\$5 or effective) near8 (utiliz\$3 or utilization)) with storage same (capacity or available or unallocated) with dynamic\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L49	3	(dynamic near6 configuration near6 storage with node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L50	33	((optimiz\$5 or optimal or optimum or ideal or peak or maximum or maximiz\$5 or effective) near8 (utiliz\$3 or utilization)) with storage same (capacity or available or unallocated) and 709/???.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L51	15	((optimiz\$5 or optimal or optimum or ideal or peak or maximum or maximiz\$5) near8 (network near3 bandwidth) with (utiliz\$3 or utilization)) and 711/???.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 12:15
L52	836	((optimiz\$5 or optimal or optimum or ideal or peak or maximum or maximiz\$5 or effective) near8 (utiliz\$3 or utilization)) with storage with (capacity or available or unallocated)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L53	0	((optimiz\$5 or optimal or optimum or ideal or peak or maximum or maximiz\$5) near8 (network near3 bandwidth) with utliz%6).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37
L54	0	((optimiz\$5 or optimal or optimum or ideal or peak or maximum or maximiz\$5) near8 (network near3 bandwidth) with utliz\$6).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/18 11:37